Adult Nei	urology	Pediatric Neurology	Managing Partner
Reed C. Perron, MD	John T. Nasr, MD	Peter L. Heilbroner, MD, PhD	Hugo N. Lijtmaer, MD
Hugo N. Lijtmaer, MD	Amrit K. Grewal, MD	Jennifer A. Cope, MD	
Daniel R. Van Engel, MD	Olga Noskin, MD	Alexis M. Dallara-Marsh, MD	Chief Operations Officer
Kenneth A. Levin, MD	Yamini Naidu, MD	Mitchell Steinschneider, MD, PhD	David T. Contento, FACMPE
Kenneth A. Citak, MD	Daniel Berlin, MD, MSc	Heather Weiner, APN	
James T. Shammas, MD	Fumin Tong, MD, PhD	Neuro Rehabilitation Center	
Susan P. Molinari, MD	Elena Zislin, PA-C	Kenneth A. Citak, MD	John Jensen, PT
		Medical Director	Director of Rehabilitation
	Reed C. Perron, MD Hugo N. Lijtmaer, MD Daniel R. Van Engel, MD Kenneth A. Levin, MD Kenneth A. Citak, MD James T. Shammas, MD	Hugo N. Lijtmaer, MDAmrit K. Grewal, MDDaniel R. Van Engel, MDOlga Noskin, MDKenneth A. Levin, MDYamini Naidu, MDKenneth A. Citak, MDDaniel Berlin, MD, MScJames T. Shammas, MDFumin Tong, MD, PhD	Reed C. Perron, MDJohn T. Nasr, MDPeter L. Heilbroner, MD, PhDHugo N. Lijtmaer, MDAmrit K. Grewal, MDJennifer A. Cope, MDDaniel R. Van Engel, MDOlga Noskin, MDAlexis M. Dallara-Marsh, MDKenneth A. Levin, MDYamini Naidu, MDMitchell Steinschneider, MD, PhDKenneth A. Citak, MDDaniel Berlin, MD, MScHeather Weiner, APNJames T. Shammas, MDFumin Tong, MD, PhDNeuro RehabilitationSusan P. Molinari, MDElena Zislin, PA-CKenneth A. Citak, MD

## **SLEEP HYGIENE RECOMMENDATIONS**

- Sleep in a comfortable place (quiet, proper temperature, etc.)
- Keep a regular sleep-awake schedule. Get out of bed at the same time each morning.
- Avoid naps. Substitute light exercise for naps.
- Don't consume excessive alcohol or food close to bedtime. A light snack may help to induce sleep.
- Avoid caffeine, which may have a very prolonged stimulant effect.
- Avoid using electronic devices (such as smartphones, iPads, or laptop computers) in bed. Such devices stimulate the brain and make it more difficult to fall asleep.
- Put mental concerns "to sleep" by writing them down and setting them aside.
- Don't lie in bed unable to sleep for more than 30 minutes. Get out of bed, do something relaxing, and return to bed only when sleepy.
- Don't worry about the impact of missing sleep. In most cases, the mind and body will eventually get the rest that they need, and there seems to be little harm in the waiting.